

Stapler 90/40-621C

12000230



**Fastener type**

BeA Staples 90  
· Length: 15 - 32 mm

**Product strengths**

- Bottom loaded magazine
- Contact release
- Easy maintenance
- Fast magazine reloading
- Integrated noise reduction

**Scope of operation**

Carpentry, Dry and interior extension, Furniture and frame construction, Joinery, Measurement and assembly construction, Roofing and facade, Wood packaging, Wooden constructions

**Scope of delivery**

Sparepart list, User manual


More details:



**Technical data**

EAN	4045759002291
Type of fastener	BeA Staples 90
Fastener length min	15 mm
Fastener length max	32 mm
Magazine capacity max	125 pc
Weight	1,34 kg
Driving system	Compressed air
Activation method	Contact activation
Operating pressure min	5 bar
Operating pressure max	8 bar
Air consumption per drive operation	0,9 l (6 bar)
Tool length	247 mm
Tool width	56 mm
Tool height	198 mm
BG eligible for funding	No
Declaration of conformity	CE, EAC, UKCA
Noise characteristic L pA, 1s according to EN 12549	81 dB(A)
Noise characteristic L WA, 1s, d according to EN 12549	83,6 dB(A)
Noise characteristic K pA and K WA according to EN 12549	2,5 dB(A)
Vibration value ahd according to ISO 8662	1,63 m/s <sup>2</sup>
Vibration value Ka according to ISO 8662	0,44 m/s <sup>2</sup>
Weight incl. packaging	1,53 kg

## Related fastener



BeA Staples 90  
· Length: 15 - 40 mm

Item No.	Length	Point type	Material
10000309	25 mm	Chisel point	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10000330	35 mm	Chisel point	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10001411	15 mm	Chisel point	Steel, galvanized, hard
10001414	25 mm	Chisel point	Steel, galvanized, hard
10001416	30 mm	Chisel point	Steel, galvanized, hard
10001417	32 mm	Chisel point	Steel, galvanized, hard
10001418	35 mm	Chisel point	Steel, galvanized, hard
10001419	38 mm	Chisel point	Steel, galvanized, hard
10001420	40 mm	Chisel point	Steel, galvanized, hard
10002643	15 mm	Chisel point	Steel, galvanized
10002644	18 mm	Chisel point	Steel, galvanized
10002646	25 mm	Chisel point	Steel, galvanized
10002648	30 mm	Chisel point	Steel, galvanized
10002649	32 mm	Chisel point	Steel, galvanized
10002650	35 mm	Chisel point	Steel, galvanized
10002651	38 mm	Chisel point	Steel, galvanized
10002652	40 mm	Chisel point	Steel, galvanized
10002946	21 mm	Chisel point	Steel, galvanized
10003179	28 mm	Chisel point	Steel, galvanized
10003460	21 mm	Divergent point	Stainless Steel (AISI 304, EN grade 1.4301, A2)
10004412	15 mm	Chisel point	Steel, galvanized
10004413	18 mm	Chisel point	Steel, galvanized
10004414	21 mm	Chisel point	Steel, galvanized
10004415	25 mm	Chisel point	Steel, galvanized
10004416	28 mm	Chisel point	Steel, galvanized
10004417	32 mm	Chisel point	Steel, galvanized
10004418	38 mm	Chisel point	Steel, galvanized
10005081	32 mm	Chisel point	Steel, galvanized, hard

10005279	16 mm	Chisel point	Steel, galvanized, hard
10005325	18 mm	Chisel point	Steel, galvanized
10005433	35 mm	Chisel point	Steel, galvanized

### Other variations and sizes on request

Access all Declarations of Performance (DoPs) and CE-Label on our website