


Stapler 14/32-613C

12000215



Fastener type

BeA Staples 14, BeA Staples 155, BeA Staples 16
 · Length: 15 - 32 mm

Product strengths

- Automatic actuation with stepless firing sequence adjustment
- Contact release
- Easy maintenance
- Multi-Fastener-System
- Support base for optimal driving angle

Scope of operation

Carpentry, Furniture and frame construction, Pallet construction and repair, Roofing and facade, Timber construction, Timber frame construction, Wood packaging, Wooden constructions

Scope of delivery

Sparepart list, User manual


More details:



Technical data

EAN	4045759002147
Type of fastener	BeA Staples 14, BeA Staples 155, BeA Staples 16
Fastener length min	15 mm
Fastener length max	32 mm
Magazine capacity max	110 pc
Weight	1,4 kg
Driving system	Compressed air
Activation method	Contact activation
Operating pressure min	5 bar
Operating pressure max	8 bar
Air consumption per drive operation	0,9 l (6 bar)
Depth adjustment	No
Tool length	255 mm
Tool height	198 mm
BG eligible for funding	No
Declaration of conformity	CE, EAC, UKCA
Noise characteristic L pA, 1s according to EN 12549	81 dB(A)
Noise characteristic L WA, 1s, d according to EN 12549	83,6 dB(A)
Noise characteristic K pA and K WA according to EN 12549	2,5 dB(A)
Vibration value ahd according to ISO 8662	1,63 m/s ²
Vibration value Ka according to ISO 8662	0,44 m/s ²
Weight incl. packaging	1,5 kg


Related fastener



BeA Staples 14
· Length: 15 - 32 mm

Item No.	Length	Point type	Material
10000005	15 mm	Chisel point	Steel, galvanized
10000013	18 mm	Chisel point	Steel, galvanized
10000019	21 mm	Chisel point	Steel, galvanized
10000023	25 mm	Divergent point	Steel, galvanized
10000024	25 mm	Chisel point	Steel, galvanized
10000029	25 mm	Divergent point	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10000031	28 mm	Chisel point	Steel, galvanized
10000032	30 mm	Divergent point	Steel, galvanized
10000033	30 mm	Chisel point	Steel, galvanized
10003235	25 mm	Flare	Steel, galvanized
10003384	32 mm	Chisel point	Steel, galvanized
10005071	28 mm	Chisel point	Steel, galvanized
10005838	18 mm	Chisel point	Steel, galvanized
10005839	25 mm	Chisel point	Steel, galvanized
10005840	32 mm	Chisel point	Steel, galvanized


Related fastener



BeA Staples 155
· Length: 18 - 22 mm

Item No.	Length	Point type	Material
10000603	18 mm	Rebated edge for gypsum fire board (CD)	Steel, galvanized
10000604	21 mm	Rebated edge for gypsum fire board (CD)	Steel, galvanized
10002989	21 mm	Flare	Steel, galvanized
10005569	22 mm	Chisel point	Steel, galvanized, hard
10005798	22 mm	Rebated edge for gypsum fire board (CD)	Steel, galvanized

Related fastener



BeA Staples 16
· Length: 22 - 32 mm

Item No.	Length	Point type	Material
10003268	32 mm	Flare	Steel, galvanized
10003690	30 mm	Chisel point	Steel, galvanized
10003748	25 mm	Chisel point	Steel, galvanized
10003899	30 mm	Chisel point	Steel, galvanized
10004789	32 mm	Chisel point	Steel, galvanized
10005028	22 mm	Chisel point	Steel, galvanized
10005030	28 mm	Chisel point	Steel, galvanized

Other variations and sizes on request

Access all Declarations of Performance (DoPs) and CE-Label on our website