

Coil Nailer 780DCC

12100635



More details:



**Fastener type**

- BeA Nails BDC, BeA Nails TC
- Diameter: 2,3 - 3,3 mm
- Length: 45 - 75 mm

**Product strengths**

- Adjustable depth setting
- Contact release
- No marking pad

**Scope of operation**

Carpentry, Industrial packaging, Pallet construction and repair, Prefabricated house construction, Timber construction

**Scope of delivery**

Sparepart list, User manual


**Technical data**

EAN	4045759058847
Type of fastener	BeA Nails BDC, BeA Nails TC
Fastener diameter min	2,3 mm
Fastener diameter max	3,3 mm
Fastener length min	45 mm
Fastener length max	75 mm
Tool magazin slope	16 °
Magazine capacity max	1 coil
Weight	2,88 kg
Driving system	Compressed air
Activation method	Contact activation
Operating pressure min	5 bar
Operating pressure max	8 bar
Air consumption per drive operation	2 l (5 bar)
Depth adjustment	Yes
Tool length	313 mm
Tool width	132 mm
Tool height	316 mm
BG eligible for funding	No
Declaration of conformity	CE, EAC, UKCA
Noise characteristic L pA, 1s according to EN 12549	92,3 dB(A)
Noise characteristic L WA, 1s, d according to EN 12549	100,3 dB(A)

## Technical data

Noise characteristic K pA and K WA according to EN 12549	2,5 dB(A)
Vibration value ahd according to ISO 8662	3,42 m/s <sup>2</sup>
Vibration value Ka according to ISO 8662	1,71 m/s <sup>2</sup>
Weight incl. packaging	4 kg

## Related fastener



## BeA Nails BDC

- Diameter: 2,3 - 3,1 mm
- Length: 45 - 75 mm

Item No.	Diameter x Length	Nail shank	Material
10500122	2,8 mm x 60 mm	Smooth shank	Steel, bright
10500126	2,8 mm x 60 mm	Ring shank	Steel, bright
10500138	2,8 mm x 65 mm	Ring shank	Steel, galvanized
10500141	2,5 mm x 65 mm	Smooth shank	Steel, bright
10500144	2,8 mm x 65 mm	Smooth shank	Steel, bright
10500146	2,5 mm x 65 mm	Ring shank	Steel, bright
10500155	2,8 mm x 70 mm	Ring shank	Steel, galvanized
10500156	2,5 mm x 70 mm	Smooth shank	Steel, bright
10500160	2,5 mm x 70 mm	Ring shank	Steel, bright
10500161	2,8 mm x 70 mm	Ring shank	Steel, bright
10500173	2,8 mm x 75 mm	Smooth shank	Steel, bright
10500176	2,8 mm x 75 mm	Ring shank	Steel, bright
10500227	2,8 mm x 65 mm	Smooth shank	Steel, galvanized
10500259	2,5 mm x 65 mm	Smooth shank	Steel, galvanized
10500280	2,5 mm x 65 mm	Ring shank	Steel, hot-dip galvanized
10500314	3,1 mm x 70 mm	Smooth shank	Steel, galvanized
10500321	2,5 mm x 70 mm	Screw shank	Steel, bright
10500382	2,5 mm x 45 mm	Smooth shank	Steel, bright
10500397	2,3 mm x 55 mm	Smooth shank	Steel, bright
10500424	2,5 mm x 60 mm	Ring shank	Steel, bright
10500425	2,5 mm x 65 mm	Ring shank	Steel, bright
10500429	2,5 mm x 50 mm	Smooth shank	Steel, bright
10500430	2,5 mm x 55 mm	Smooth shank	Steel, bright
10500431	2,5 mm x 60 mm	Smooth shank	Steel, bright
10500434	2,5 mm x 45 mm	Ring shank	Steel, bright
10500435	2,5 mm x 50 mm	Ring shank	Steel, bright
10500436	2,5 mm x 55 mm	Ring shank	Steel, bright
10500437	2,5 mm x 60 mm	Ring shank	Steel, bright

10500454	2,5 mm x 60 mm	Smooth shank	Steel, galvanized
10500457	2,5 mm x 45 mm	Ring shank	Steel, galvanized
10500458	2,5 mm x 50 mm	Ring shank	Steel, galvanized
10500459	2,5 mm x 55 mm	Ring shank	Steel, galvanized
10500460	2,5 mm x 60 mm	Ring shank	Steel, galvanized
10500487	2,5 mm x 57 mm	Ring shank	Steel, bright
10500820	2,5 mm x 50 mm	Ring shank	Steel, bright
10500822	2,5 mm x 55 mm	Ring shank	Steel, bright
10500825	2,5 mm x 60 mm	Screw shank	Steel, bright
10500827	2,5 mm x 65 mm	Screw shank	Steel, bright
10500954	2,5 mm x 55 mm	Screw shank	Steel, bright
10500955	2,5 mm x 60 mm	Screw shank	Steel, bright
10500957	2,8 mm x 65 mm	Screw shank	Steel, bright
10500977	2,5 mm x 50 mm	Screw shank	Steel, bright
10501146	2,5 mm x 65 mm	Screw shank	Steel, bright
10501159	2,8 mm x 70 mm	Screw shank	Steel, bright
10501162	2,8 mm x 75 mm	Ring shank	Steel, galvanized
10501242	2,5 mm x 70 mm	Screw shank	Steel, bright
10501247	3,1 mm x 70 mm	Smooth shank	Steel, bright
10501248	3,1 mm x 70 mm	Ring shank	Steel, bright
10501258	2,8 mm x 65 mm	Ring shank	Steel, bright
10501259	2,8 mm x 70 mm	Smooth shank	Steel, bright
10501260	2,8 mm x 70 mm	Smooth shank	Steel, galvanized
10501261	2,8 mm x 75 mm	Screw shank	Steel, bright
10501271	2,5 mm x 65 mm	Ring shank	Steel, galvanized
10501363	2,5 mm x 55 mm	Screw shank	Steel, bright
10501367	2,5 mm x 75 mm	Screw shank	Steel, bright
10501467	2,5 mm x 60 mm	Ring shank	Steel, bright
10501490	2,5 mm x 55 mm	Ring shank	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10501494	2,5 mm x 65 mm	Ring shank	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10501496	2,8 mm x 70 mm	Ring shank	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10501546	2,8 mm x 65 mm	Ring shank	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10501714	2,3 mm x 60 mm	Smooth shank	Steel, bright
10501718	2,3 mm x 45 mm	Ring shank	Steel, bright
10501719	2,3 mm x 50 mm	Ring shank	Steel, bright
10501720	2,3 mm x 55 mm	Ring shank	Steel, bright
10501722	2,3 mm x 55 mm	Screw shank	Steel, bright
10501725	2,5 mm x 70 mm	Smooth shank	Steel, galvanized
10501779	3,1 mm x 70 mm	Ring shank	Steel, bright

10501824	2,8 mm x 75 mm	Screw shank	Steel, bright
10502023	2,8 mm x 50 mm	Screw shank	Steel, bright
10502024	2,8 mm x 57 mm	Screw shank	Steel, bright
10502299	2,5 mm x 55 mm	Smooth shank	Steel, bright
10502323	3,1 mm x 50 mm	Smooth shank	Steel, bright

## Other variations and sizes on request

Access all Declarations of Performance (DoPs) and CE-Label on our website