

Strip Nailer R20/100952C

12100292



**Fastener type**

- BeA Nails R20
- Diameter: 2,8 - 3,4 mm
- Length: 50 - 100 mm

**Product strengths**

- Adjustable depth setting
- Adjustable ventilation
- Contact release
- Includes transport case
- Pusher stop

**Scope of operation**

Carpentry, Formwork construction, Pallet construction and repair, Roofing and facade, Timber construction, Timber frame construction, Wood packaging, Wooden constructions

**Scope of delivery**

Hex key, Sparepart list, Transport case, User manual

More details:




**Technical data**

EAN	4045759007265
Type of fastener	BeA Nails R20
Fastener diameter min	2,8 mm
Fastener diameter max	3,4 mm
Fastener length min	50 mm
Fastener length max	100 mm
Tool magazin slope	20 °
Magazine capacity max	66 pc
Weight	3,42 kg
Driving system	Compressed air
Activation method	Contact activation
Operating pressure min	5 bar
Operating pressure max	8 bar
Air consumption per drive operation	3,3 l (6 bar)
Depth adjustment	Yes
Tool length	500 mm
Tool width	114 mm
Tool height	360 mm
BG eligible for funding	No
Declaration of conformity	CE, EAC, UKCA
Noise characteristic L pA, 1s according to EN 12549	91,1 dB[A]
Noise characteristic L WA, 1s, d according to EN 12549	99,9 dB[A]

## Technical data

Noise characteristic K pA and K WA according to EN 12549	2,5 dB(A)
Vibration value ahd according to ISO 8662	3,62 m/s <sup>2</sup>
Vibration value Ka according to ISO 8662	0,85 m/s <sup>2</sup>
Weight incl. packaging	4,7 kg

## Related fastener



## BeA Nails R20

- Diameter: 2,8 - 3,4 mm
- Length: 60 - 100 mm

Item No.	Diameter x Length	Nail shank	Material
10400015	2,8 mm x 60 mm	Smooth shank	Steel, bright
10400020	2,8 mm x 65 mm	Smooth shank	Steel, bright
10400029	2,8 mm x 70 mm	Smooth shank	Steel, bright
10400030	3,1 mm x 70 mm	Smooth shank	Steel, bright
10400032	3,1 mm x 70 mm	Screw shank	Steel, bright
10400041	3,1 mm x 80 mm	Smooth shank	Steel, galvanized
10400044	3,1 mm x 80 mm	Smooth shank	Steel, bright
10400047	3,1 mm x 80 mm	Screw shank	Steel, bright
10400051	3,1 mm x 90 mm	Smooth shank	Steel, galvanized
10400053	3,1 mm x 90 mm	Screw shank	Steel, galvanized
10400054	3,1 mm x 90 mm	Smooth shank	Steel, bright
10400055	3,1 mm x 90 mm	Screw shank	Steel, bright
10401635	3,4 mm x 100 mm	Smooth shank	Steel, bright
10401636	3,4 mm x 100 mm	Smooth shank	Steel, galvanized

## Other variations and sizes on request

Access all Declarations of Performance (DoPs) and CE-Label on our website