

Strip Nailer R20/160-1603E

12100695



Fastener type

- BeA Nails R20
- Diameter: 3,8 - 4,6 mm
- Length: 100 - 160 mm

Product strengths

- Additional handle
- Integrated noise reduction
- Pusher stop
- Sequential trigger

Scope of operation

Carpentry, Formwork construction, Pallet construction and repair, Roofing and facade, Timber construction, Timber frame construction, Wood packaging, Wooden constructions

Scope of delivery

Additional handhold, Hex key, Service Instructions, Sparepart list, User manual

More details:




Technical data

EAN	4045758120002
Type of fastener	BeA Nails R20
Fastener diameter min	3,8 mm
Fastener diameter max	4,6 mm
Fastener length min	100 mm
Fastener length max	160 mm
Tool magazin slope	20 °
Magazine capacity max	50 pc
Weight	7,05 kg
Driving system	Compressed air
Activation method	Single activation
Operating pressure min	5 bar
Operating pressure max	8 bar
Air consumption per drive operation	5 l (6 bar)
Depth adjustment	Yes
Tool length	560 mm
Tool height	548 mm
BG eligible for funding	No
Declaration of conformity	CE, EAC, UKCA
Noise characteristic L pA, 1s according to EN 12549	99,5 dB(A)
Noise characteristic L WA, 1s, d according to EN 12549	104,4 dB(A)
Noise characteristic K pA and K WA according to EN 12549	2,5 dB(A)

Technical data

Vibration value ahd according to ISO 8662	6,33 m/s ²
Vibration value Ka according to ISO 8662	1,12 m/s ²
Weight incl. packaging	6,87 kg

Related fastener



BeA Nails R20

- Diameter: 3,8 - 4,6 mm
- Length: 100 - 160 mm

Item No.	Diameter x Length	Nail shank	Material
10400006	4,6 mm x 160 mm	Smooth shank	Steel, galvanized
10400060	3,8 mm x 110 mm	Smooth shank	Steel, bright
10400062	3,8 mm x 120 mm	Smooth shank	Steel, bright
10400064	3,8 mm x 120 mm	Screw shank	Steel, bright
10400065	3,8 mm x 130 mm	Smooth shank	Steel, galvanized
10400067	3,8 mm x 130 mm	Smooth shank	Steel, bright
10400068	4,2 mm x 130 mm	Smooth shank	Steel, bright
10400069	4,6 mm x 145 mm	Smooth shank	Steel, bright
10400070	4,6 mm x 160 mm	Smooth shank	Steel, bright
10400077	3,8 mm x 100 mm	Smooth shank	Steel, bright
10400197	3,8 mm x 120 mm	Smooth shank	Steel, galvanized
10400402	4,2 mm x 160 mm	Smooth shank	Steel, bright
10400462	3,8 mm x 130 mm	Ring shank	Steel, bright
10400463	3,8 mm x 130 mm	Screw shank	Steel, bright
10400464	4,6 mm x 160 mm	Screw shank	Steel, bright
10401340	4,2 mm x 160 mm	Screw shank	Steel, bright

Other variations and sizes on request

Access all Declarations of Performance (DoPs) and CE-Label on our website