

Anchor Nailer AN R60-34**12100507**

More details:

**Fastener type**

BeA Anchor nails R34°
· Diameter: 4 mm
· Length: 40 - 60 mm

Scope of operation

Carpentry, Roofing and facade, Timber frame construction

Scope of delivery

Sparepart list, User manual


Technical data

EAN	4045759051794
Type of fastener	BeA Anchor nails R34°
Fastener diameter min	4 mm
Fastener diameter max	4 mm
Fastener length min	40 mm
Fastener length max	60 mm
Tool magazin slope	34 °
Magazine capacity max	25 pc
Weight	2,7 kg
Driving system	Compressed air
Activation method	Single activation
Operating pressure min	5 bar
Operating pressure max	8 bar
Air consumption per drive operation	2 l (7 bar)
Depth adjustment	Yes
Tool length	350 mm
Tool width	359 mm
Tool height	110 mm
BG eligible for funding	Yes
Declaration of conformity	CE, EAC, UKCA
Noise characteristic L pA, 1s according to EN 12549	99 dB(A)
Noise characteristic L WA, 1s, d according to EN 12549	104 dB(A)

Technical data

Noise characteristic K pA and K WA according to EN 12549	2,5 dB(A)
Vibration value ahd according to ISO 8662	3,56 m/s ²
Vibration value Ka according to ISO 8662	1,76 m/s ²
Weight incl. packaging	3,5 kg

Related fastener



BeA Anchor nails R34°

- Diameter: 4 mm
- Length: 40 - 60 mm

Item No.	Diameter x Length	Nail shank	Material
10401267	4 mm x 40 mm	Anchor	Steel, galvanized
10401268	4 mm x 50 mm	Anchor	Steel, galvanized
10401269	4 mm x 60 mm	Anchor	Steel, galvanized

Other variations and sizes on request

Access all Declarations of Performance (DoPs) and CE-Label on our website