

Stapler 380/16-420

12000063



**Fastener type**

BeA Staples 380, BeA Staples 80  
· Length: 6 - 16 mm

**Product strengths**

- Bottom loaded magazine
- Easy maintenance
- Fast magazine reloading
- Integrated noise reduction
- Long magazine

**Scope of operation**

Decoration and flower arranging, Furniture and frame construction, Industrial packaging, Joinery, Measurement and assembly construction, Upholstery

**Scope of delivery**

Sparepart list, User manual

More details:



**Technical data**

EAN	4045759000631
Type of fastener	BeA Staples 380, BeA Staples 80
Fastener length min	6 mm
Fastener length max	16 mm
Magazine capacity max	157 pc
Weight	0,94 kg
Driving system	Compressed air
Activation method	Single activation
Operating pressure min	4 bar
Operating pressure max	6 bar
Air consumption per drive operation	0,3 l (6 bar)
Tool length	221 mm
Tool width	43 mm
Tool height	144 mm
BG eligible for funding	No
Declaration of conformity	CE, EAC, UKCA
Noise characteristic L pA, 1s according to EN 12549	77,8 dB(A)
Noise characteristic L WA, 1s, d according to EN 12549	84 dB(A)
Noise characteristic K pA and K WA according to EN 12549	2,5 dB(A)
Vibration value ahd according to ISO 8662	1,02 m/s <sup>2</sup>
Vibration value Ka according to ISO 8662	0,6 m/s <sup>2</sup>
Weight incl. packaging	1,08 kg

## Related fastener



BeA Staples 380  
· Length: 6 - 16 mm

Item No.	Length	Point type	Material
10000213	8 mm	Chisel point	Steel, galvanized
10000225	10 mm	Chisel point	Steel, galvanized
10000242	12 mm	Chisel point	Steel, galvanized
10000255	14 mm	Chisel point	Steel, galvanized
10000731	6 mm	Chisel point	Steel, galvanized
10000732	6 mm	Chisel point	Steel, galvanized
10000734	6 mm	Chisel point	Steel, galvanized, extra hard
10000736	8 mm	Chisel point	Steel, galvanized
10000737	8 mm	Chisel point	Steel, galvanized
10000739	8 mm	Chisel point	Steel, galvanized, extra hard
10000740	8 mm	Chisel point	Steel, galvanized, extra hard
10000741	10 mm	Chisel point	Steel, galvanized
10000745	10 mm	Chisel point	Steel, galvanized
10000747	10 mm	Chisel point	Steel, galvanized, extra hard
10000748	10 mm	Chisel point	Steel, galvanized, extra hard
10000750	12 mm	Chisel point	Steel, galvanized
10000751	12 mm	Chisel point	Steel, galvanized
10000753	12 mm	Chisel point	Steel, galvanized, extra hard
10000754	14 mm	Chisel point	Steel, galvanized
10000755	14 mm	Chisel point	Steel, galvanized
10000757	14 mm	Chisel point	Steel, galvanized, extra hard
10000758	16 mm	Chisel point	Steel, galvanized, extra hard
10001768	16 mm	Chisel point	Steel, galvanized
10004503	8 mm	Chisel point	Steel, galvanized, extra hard
10005049	6 mm	Chisel point	Steel, galvanized, extra hard
10005060	16 mm	Chisel point	Steel, galvanized, extra hard
10005579	6 mm	Chisel point	Steel, galvanized
10005580	8 mm	Chisel point	Steel, galvanized

10005581	10 mm	Chisel point	Steel, galvanized
10005582	12 mm	Chisel point	Steel, galvanized
10005583	14 mm	Chisel point	Steel, galvanized
10005584	16 mm	Chisel point	Steel, galvanized, extra hard

## Related fastener



BeA Staples 80  
· Length: 6 - 14 mm

Item No.	Length	Point type	Material
10000203	6 mm	Divergent point	Steel, galvanized
10000216	8 mm	Divergent point	Steel, galvanized
10000263	14 mm	Chisel point	Aluminium
10000976	8 mm	Chisel point	Steel, galvanized, extra hard
10002907	8 mm	Chisel point	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10003284	12 mm	Chisel point	Aluminium
10003285	10 mm	Chisel point	Aluminium
10003286	8 mm	Chisel point	Aluminium
10003287	10 mm	Chisel point	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10003288	8 mm	Chisel point	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10003294	6 mm	Chisel point	Aluminium
10003296	6 mm	Chisel point	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10003297	12 mm	Chisel point	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10003298	14 mm	Chisel point	Stainless Steel, (AISI 316, EN grade 1.4401, A4)

### Other variations and sizes on request

Access all Declarations of Performance (DoPs) and CE-Label on our website