

THE POWER OF FASTENING



BeA Skater



Functions and Features



- Optimal results according to Eurocode 5
- Flexible and adaptable
- Quick, safe and efficient

Applications

Timber frame constructions, packaging industry, pre-fabricated housing and all other applications where plasterboard, gypsum board and wooden boards (e.g. OSB panels) are to be fitted/attached



BeA Skater Base

Item No.	Distance in mm
14412430	Standard: 40; 50; 66,7; 100; 200

available for alternative distances:



Item No.	Distance in mm
14414707	Short: 30/60; 45/90; 90/180

Accessories for Skater



Item No.	Description
14412428	Edge guide
14412429	Extension handle
14406482	Rail 3.0 m (in connection with edge guide)
14409063	Rail 3.5 m (in connection with edge guide)
14412767	Rail guide set for Festool rail



BeA Skater for Heavy Wire Staples




Item No.	Description	Fastener type	Length from - to in mm	Capacity/Pieces	Weight incl. base [net]
12000624*	14/65-830 C Skater	14 16 155	40 - 65	Type 14 168 Staples Type 16 152 Staples Type 155 152 Staples	11.8 kg

* Tool without Skater base - fits with Skater base 14412430 (standard distances) and 14414707 (short distances), see page 3



Item No.	Description	Mille/ Carton	Carton/ Pallet	kg/ Carton
10004787	14/40 NK HZ*	10.0	84	10.3
10003386	14/45 NK HZ	10.0	75	11.5
10003387	14/50 NK HZ	10.0	75	12.9
10003352	16/40 NK HZ*	10.0	88	12.4
10002619	16/45 NK HZ*	10.0	80	13.6
10002620	16/50 NK HZ*	10.0	60	15.1
10003751	16/60 NK HZ*	10.0	54	18.7
10003693	16/65 NK HZ*	10.0	45	20.2
10003272	16/45 NK HZ	10.0	80	13.6
10003274	16/50 NK HZ	10.0	60	15.1
10000604	155/21 NK HZ CD	13.0	68	9.2
10004890	155/45 VZ HZ	10.0	80	13.6
10004838	155/50 VZ HZ	10.0	60	15.1
10002719	155/56 VZ HZ	10.9	54	20.2
10002177	155/65 VZ HZ	10.9	45	22.5
10000629	155/45 NR HZ A4	9.0	85	12.2
10002051	155/50 NR HZ A4	7.0	85	11.0

* Conforms to EN14566 and DIN 18182 Part 2

Staple type 155 in heavy galvanized and stainless steel (A4) are certified to DIN 1052 and have the required characteristics specified in Eurocode 5.




BeA Skater for Heavy Wire Staples


Item No.	Description	Fastener type	Length from - to in mm	Capacity/ Pieces	Weight incl. base [net]
 12000625*	180/65-835 C Skater	180	40 - 65	132	12.2 kg
 12000659*	180/90-839 C Skater	180	50 - 75	132	12.3 kg

* Tool without Skater base - fits with Skater base 14412430 (standard distances) and 14414707 (short distances), see page 3


Item No.	Description	Mille/ Carton	Carton/ Pallet	kg/ Carton
10004812	180/40 NK HZ	10.0	65	16.6
10004800	180/45 NK HZ	10.0	63	18.3
10004836	180/50 NK HZ	5.0	84	10.6
10004864	180/55 NK HZ	5.0	78	11.2
10004865	180/60 NK HZ	5.0	78	12.1
10004801	180/63 NK HZ	5.0	78	12.7
10004813	180/65 NK HZ	5.0	78	13.1
10004835	180/45 VZ HZ	10.0	63	18.3
10004837	180/50 VZ HZ	5.0	84	10.6
10005445	180/56 VZ HZ	8.6	54	20.7
10005360	180/63 VZ HZ	5.0	78	12.7
10000676	180/50 NR HZ A4	5.0	102	10.6
10000692	180/63 NR HZ A4	4.0	102	10.2



Staple type 180 in heavy galvanized and stainless steel (A4) are certified to DIN 1052 and have the required characteristics specified in Eurocode 5.




BeA Skater for Heavy Wire Staples

Item No.	Description	Fastener type	Length from - to in mm	Capacity/Pieces	Weight incl. base (net)
 12200112*	K92/12-25 L5P Skater	92	12 - 25	300	13.1 kg

* Tool without Skater base - fits with Skater base 14412430 (standard distances) and 14414707 (short distances), see page 3



Item No.	Description	Mille/Box	Mille/Carton	Carton/Pallet	kg/Carton
10002653	92/12 NK HZ	8.4	50.4	72	13.0
10002654	92/15 NK HZ	7.2	43.2	72	13.1
10002655	92/18 NK HZ	6	36.0	72	12.8
10002937	92/21 NK HZ	4.8	28.8	80	11.9
10002657	92/25 NK HZ	3.6	21.6	96	10.4




BeA Skater for Round head nails Type BDC

Item No.	Description	Fastener type	Length from - to in mm	Capacity/Pieces	Weight incl. base (net)
12000658*	DC/80-802C Skater	BDC	50 - 70 Ø 2.5 - 3.1	1 Coil	11.8 kg



* Tool without Skater base - fits with Skater base 14412430 (standard distances) and 14414707 (short distances), see page 3

Item No.	Description	Mille/ Carton	Carton/ Pallet	kg/ Carton
10500429	BDC 2,5 x 50 BK	9.0	40	16.8
10500430	BDC 2,5 x 55 BK	9.0	40	18.4
10500431	BDC 2,5 x 60 BK	7.2	40	11.3
10500141	BDC 2,5 x 65 BK	7.2	40	12.2
10500156	BDC 2,5 x 70 BK	7.2	40	18.0
10500435	BDC 2,5 x 50 BK Ring	9.0	40	16.8
10500458	BDC 2,5 x 50 NK Ring	9.0	40	16.8
10500436	BDC 2,5 x 55 BK Ring	9.0	40	18.4
10500487	BDC 2,5 x 57 BK Ring	7.2	40	15.5
10500437	BDC 2,5 x 60 BK Ring	7.2	40	13.0
10500146	BDC 2,5 x 65 BK Ring	7.2	40	14.0
10500160	BDC 2,5 x 70 BK Ring	7.2	40	18.0
10500459	BDC 2,5 x 55 NK Ring	9.0	40	18.4
10500460	BDC 2,5 x 60 NK Ring	7.2	40	18.1
10500259	BDC 2,5 x 65 NK	7.2	40	17.8
10501271	BDC 2,5 x 65 NK Ring	7.2	40	19.5
10500690	BDC 2,5 x 65 FV Ring	7.2	40	17.4
10500144	BDC 2,8 x 65 BK	6.0	40	18.8
10501259	BDC 2,8 x 70 BK	6.0	40	20.0
10500126	BDC 2,8 x 60 BK Ring	6.0	40	18.0
10501258	BDC 2,8 x 65 BK Ring	6.0	40	18.8
10500161	BDC 2,8 x 70 BK Ring	6.0	40	20.0
10500957	BDC 2,8 x 65 BK Screw	6.0	40	19.2
10501159	BDC 2,8 x 70 BK Screw	6.0	40	20.5
10501260	BDC 2,8 x 70 NK	6.0	40	20.0
10500138	BDC 2,8 x 65 NK Ring	6.0	40	18.8
10500155	BDC 2,8 x 70 NK Ring	6.0	40	20.0
10502209	BDC 2,8 x 65 NK Screw TX	6.0	40	19.7
10501546	BDC 2,8 x 65 NR Ring A4 LK	6.0	40	18.8
10501496	BDC 2,8 x 70 NR Ring A4 LK	6.0	40	20.0
10501247	BDC 3,1 x 70 BK	4.8	40	19.4
10501248	BDC 3,1 x 70 BK Ring	4.8	40	19.4
10500314	BDC 3,1 x 70 NK	4.8	40	20.7



All BDC nails listed above are in accordance with Eurocode 5 properties.





THE POWER OF FASTENING

**BeA GmbH
Industrial Fastening Systems**

Bogenstraße 43 - 45, 22926 Ahrensburg
Germany
Phone +49 (0) 4102 78 - 445
info@bea-group.com



www.bea-group.com

21.00.003

